



ARGES[®]
REMOTE SPOTLIGHT



WHELEN[®]
ENGINEERING COMPANY INC.



Scan the QR code for our
Arges Remote Spotlight
or visit whelen.com/arges

SAFETY

Arges® features a compact design that, when paired with Whelen's vehicle-specific mounts, helps minimize blind spots while driving. Its collision-safe control head eliminates the need for an internal handle, enhancing safety and ease of use.

OPTIC INNOVATIONS

PROCLERA®


Proclera Silicone Optics are engineered to provide less light distortion and up to 3x brighter light output, better directing light wherever it's needed.

Spotlight models: 5° spot

ProFocus™

ProFocus™ LED technology delivers versatility with just a single optic. Switch from spotlight or floodlight with no moving parts, and customize ProFocus to meet every need, increasing your visibility in any situation.

ProFocus models: 5° spot to 60° flood variable beam width




ARGES® & CORE®


Arges integrates seamlessly with Core, Whelen's advanced control system. When paired with Core and programmed via Whelen Command®, our user-friendly software interface, Arges allows for fully customizable lighting control and synchronized actions—all managed through a single, streamlined system designed to enhance officer safety and situational awareness.




Oscillating



Alley



Take-Down



 **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

ARGES® REMOTE SPOTLIGHT
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA

PRECISION & CONTROL

Limited visibility poses a serious risk to first responders in critical moments. Arges® provides full 360° visibility and 180° tilt, ensuring complete coverage and confident illumination in any situation.



CONTROL HEAD

Arges® features a control head with a paddle and three push-buttons. Intuitively designed, its small size provides versatile mounting options. Operate multiple lights with a single controller.

- The paddle rotates and tilts Arges for full control and maintains a 1:1 relationship with the lighthead.
- The home button moves Arges to the home position. When Arges is not in use, the home position is aerodynamic and inconspicuous. Double-tap the home button to auto-sync the controller position.
- The indicator light on the paddle will illuminate red when the paddle is in control mode for operation with the control head. The indicator light will illuminate blue when the control head is idle and Arges is in manual override mode, allowing the spotlight to be manually moved when standing outside the vehicle.



RUGGED DESIGN

Arges features a Black die-cast aluminum housing. Its drivetrain is electronically and mechanically protected for optimal durability.

 **WARNING:** These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

ARGES® REMOTE SPOTLIGHT
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA

TECHNICAL SPECIFICATIONS

PROGRAMMING SOFTWARE

Whelen Command® when used with CenCom Core®

HOUSING

Black die-cast aluminum

OPTICS

130,000 peak candela
50% brighter than the Whelen PAR-46 replacement lamp

ProFocus™ MODELS

5° spot to 60° flood variable beam width

STANDARD MODELS

5° spot

ELECTRICAL SPECIFICATIONS

ARGES LIGHTHEAD

Input Voltage: 12.8 VDC +/-20%
Peak Current: 2.1 amps
Average Current: 1.8 amps

ARGES ProFocus LIGHTHEAD

Input Voltage: 12.8 VDC +/-20%
Spot Peak Current: 1.4 amps
Spot Average Current: 1.3 amps
Flood Peak Current: 2.5 amps
Flood Average Current: 2.3 amps

ARGES CONTROL HEAD

Input Voltage: 12.8 VDC +/-20%
Peak Current: 0.10 amps
Average Current: 0.06 amps

INSTALLATION

Arges installs quickly and requires no A-pillar drilling or airbag interference.



- Universal Flat Mount
- Lightbar Mounting Bracket
- 2016-2023 Dodge Charger
- 2015-2025 Dodge Durango
- 2019-2024 Ram 1500 Classic
- 2025 Ram 1500 SSV (Not 'Classic' Body Style)
- 2019-2024 Ram 2500/3500/4500/5500
- 2020-2025 Ford Interceptor Utility
- 2021-2025 Ford F-150 PPV
- 2022-2025 Ford F-150 Lightning
- 2019-2025 Ford F-250/350/450 Super Duty
- 2020-2025 Ford F-550/600 Super Duty
- 2020-2025 Ford Escape
- 2019-2024 Ford Expedition
- 2021-2024 Ford Mustang Mach-E
- 2024-2025 Chevy Blazer EV
- 2006-2025 Chevy Express
- 2019-2025 Chevy Silverado 1500
- 2020-2025 Chevy Silverado HD
- 2021-2025 Chevy Tahoe
- 2021-2022 Tesla Model Y



Scan the QR code for our Vehicle Outfitter or visit vehicleoutfitter.whelen.com

DIMENSIONS

ARGES® SIZE



HEIGHT

ACTIVE

7.38 inches
(1.87 cm)

HOME POSITION

4.00 inches
(10.16 cm)

WIDTH

4.06 inches
(1.03 cm)



4.06 inches
(10.31 cm)

DEPTH

3.88 inches
(9.86 cm)

6.5 inches
(16.51 cm)

CONTROL HEAD SIZE



HEIGHT

UPRIGHT PADDLE

2.75 inches
(6.99 cm)

FOLDED PADDLE

2.38 inches
(6.05 cm)

WIDTH

4.5 inches
(11.43 cm)

DEPTH

3.5 inches
(8.89 cm)

IN THE BOX

Arges

Two 18" (45.72 cm) power control harnesses

One 12" (30.48 cm) communication cable

WARRANTY

Ten-year warranty on Arges. Two-year warranty on motor.

WARNING: These products may contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, visit whelen.com/regulatory.

ARGES® REMOTE SPOTLIGHT
WHELEN ENGINEERING COMPANY, INC.

WHELEN
MANUFACTURED IN AMERICA



WHELEN[®]
MANUFACTURED IN AMERICA

@WhelenENG



Whelen Engineering Company
(860) 526-9504
www.whelen.com

Whelen Engineering reserves
the right to upgrade and improve
products without notice.

© 2025 Whelen Engineering Company,
Inc. Printed in U.S.A.
Code No. B13350K - 06/25

All products proudly designed,
manufactured, and assembled in the U.S.A.
• ISO 9001 Registered QMS